



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/766,970	01/29/2004	Kent Pedersen	939-011677-US (PAR)	4331
2512	7590	07/14/2006	EXAMINER	
PERMAN & GREEN 425 POST ROAD FAIRFIELD, CT 06824			SHEDRICK, CHARLES TERRELL	
			ART UNIT	PAPER NUMBER
			2617	
DATE MAILED: 07/14/2006				

Please find below and/or attached an Office communication concerning this application or proceeding.

<p align="center">Office Action Summary</p>	Application No. 10/766,970	Applicant(s) PEDERSEN ET AL.	
	Examiner Charles Shedrick	Art Unit 2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 April 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

1. The Art Unit location of your application in the USPTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Art Unit 2617.

DETAILED ACTION

Response to Arguments

2. Applicant's arguments with respect to claim 4/25/06 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims **9 and 10** are rejected under 35 U.S.C. 102(b) as being anticipated by Terry US Patent Publication No.: 2004/0009786 A1.

Consider **claim 9**, Terry teaches a mobile station (i.e., Wireless Transmit Receive Unit WTRU) **605, 705, and 1005 (figures 6, 7, and 10 respectively)** for a mobile communications network **600, 700, and 1000 (figures 6, 7, and 10 respectively)**, the mobile station comprising processing means and transceiving means, wherein the processing means is configured for using a transport format combination, specified in a transport channel received by the receiving means, for subsequent transmission of speech and/or data signals (**abstract, paragraphs 0019-0020, 0043, 0052 –0057, and claim 17**).

Consider **claim 10** and as applied to **claim 9** mobile station (i.e., Wireless Transmit Receive Unit WTRU) **605, 705, and 1005 (figures 6, 7, and 10 respectively)** according to claim

9, wherein the processing means (i.e., contained w/in the WTRU) is configured for determining the quality of a downlink signal received by the transceiving means (i.e., the methods proposed by Terry applies to both the uplink and downlink)(**paragraphs 0002, 0029, 0035, 0040 and 0042, figure 7**), supplying an indication of said quality to a transport channel(i.e., the methods proposed by Terry applies to both the uplink and downlink)(**paragraphs 0002, 0029, 0035, 0040 and 0042, figure 7**) ; combining (i.e., multiplex) said transport channel with at least one other transport channel to produce a combined signal and causing the transceiving means to transmit said combined signal(i.e., this is also well known in various 3G systems as point out by Terry)(**figures 5 and 10, paragraphs 0015, 0016, 0035, and 0048-0056, claim 17**) .

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-8 and 11-18 is rejected under 35 U.S.C. 103(a) as being unpatentable over **Terry** US Patent Publication No.: 2004/0009786 A1 in view of **Moulsley et al.** US Pub. No.: 2002/0027897 A1, hereinafter, "Moulsley".

Consider **claim 1**, Terry teaches a method of controlling (**paragraph 0039**) the operation of a mobile communication network **600,700, and 1000 (figures 6, 7, and 10 respectively)** mobile station (i.e., Wireless Transmit Receive Unit WTRU) **605, 705, and 1005 (figures 6, 7, and 10 respectively)**, the method comprising transmitting a signal (i.e., control signaling) to a mobile station in a transport channel (**abstract, paragraphs 0019-0020, 0043, 0052 –0057, and claim 18f**) wherein said transport channel is combined (i.e., multiplexed) with and transmitted with at least one other transport channel (i.e., this is also well known in various 3G systems as point out by Terry)(**figures 5 and 10, paragraphs 0015, 0016, 0035, and 0048-0056**).

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Moulsley teaches transmitting a command (paragraphs 0018 0030 and 0042).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mousley. Furthermore, Sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mousley based on the above teachings.

Consider claim 2 and as applied to claim 1 above, Terry teaches a method according to claim 1, wherein only signaling is carried in the transport channel carrying the AM&C and H-ARQ signaling (i.e., Terry recognizes unique transport channels to handle signaling requirements and that individual transmissions on transport channels exist. Furthermore, Terry recognizes utilizing dedicated channels for signaling and illustrates a like concept in figure 8) (**paragraphs 0042,0044,and 0048**).

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Mousley teaches transmitting a command(**paragraphs 0018 0030 and 0042**).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mousley. Furthermore, Sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mousley based on the above teachings.

Consider claim 3 and as applied to claim 2 above, Terry teaches a method, including receiving a received signal quality report **420 (figure 4)**(i.e., a channel quality indicator) from said mobile station (i.e., Wireless Transmit Receive Unit WTRU) **405 (figures 4)** and generating

the signal in dependence on the received signal quality report (i.e., the uplinks and downlinks are adjusted based on the CRC CQI (**paragraphs 0012, 0034, and 0039**)).

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Mousley teaches transmitting a command (**paragraphs 0018 0030 and 0042**).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mousley. Furthermore, Sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mousley based on the above teachings.

Consider **claim 4**, Terry clearly show and disclose a mobile communication network infrastructure apparatus **610 (figure 6)** comprising processing means (i.e., contained w/ in **610** of **figure 6**) and transmitter means (contained w/in **610** **figure 6** in order to transmit to the WTRU **605** of **figure 6**), wherein the processing means is configured for generating a signal (**abstract, paragraphs 0019-0020, 0043, 0052 –0057, and claim 18f**), processing the signal in a transport channel (**abstract, paragraphs 0019-0020, 0043, 0052 –0057, and claim 18f**), combining said transport channel with at least one other transport channel to produce a combined signal (i.e., multiplex) and supplying the combined signal to the transmitter means for transmission to a mobile station (**WTRU 605 of figure 6**) (i.e., this is also well known in various 3G systems as point out by Terry)(**figures 5 and 10, paragraphs 0015, 0016, 0035, and 0048-0056**).

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Mousley teaches transmitting a command (paragraphs 0018 0030 and 0042).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mousley. Furthermore, Sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mousley based on the above teachings.

Consider **claim 5** and **as applied to claim 4 above**, Terry teaches an apparatus according to claim 4, wherein the processing means is configured such that only AM&C and H-ARQ signals are carried in the transport channel carrying the signal (i.e., Terry recognizes unique transport channels to handle signaling requirements and that individual transmissions on transport channels exist. Furthermore, Terry recognizes utilizing dedicated channels for signaling and illustrates a like concept in figure 8) (**paragraphs 0044, 0044, and 0048**).

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Mousley teaches transmitting a command (paragraphs 0018 0030 and 0042).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mousley. Furthermore, Sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mousley based on the above teachings.

Consider **claim 6** and **as applied to claim 5 above**, Terry teaches an apparatus according to claim 5, including receiving means (contained w/in 610 figure 6 in order to receive CQI from the WTRU 605 of figure 6) for receiving a received signal quality report (i.e., Channel quality indicator) from a mobile station (i.e., WTRU), wherein the processing means is configured for generating a signal for said mobile station in dependence on the received signal quality report (i.e., the uplinks and downlinks are adjusted based on the CRC CQI (**paragraphs 0012, 0034, and 0039**)).

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Mousley teaches transmitting a command (**paragraphs 0018 0030 and 0042**).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mousley. Furthermore, Sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mousley based on the above teachings.

Consider **claim 7**, Terry teaches a method of operating a mobile station in a mobile communications network, the method comprising receiving a signal in a transport channel (i.e., control signaling) (**abstract, paragraphs 0019-0020, 0043, 0052 –0057, and claim 18f**) and using the control signal by said signal for a subsequent transmission of speech and/or data signals (i.e., this is also well known in various 3G systems as point out by Terry)(**figures 5 and 10, paragraphs 0015, 0016, 0035, and 0048-0056**).

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Mousley teaches transmitting a command (paragraphs 0018 0030 and 0042).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mousley. Furthermore, Sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mousley based on the above teachings.

Consider **claim 8** and **as applied to claim 7 above**, Terry as modified by Mousley teaches a method according to claim 7, including determining the quality of a received downlink signal (i.e., the methods proposed by Terry applies to both the uplink and downlink)(**paragraphs 0002, 0029, 0035, 0040 and 0042, figure 7**) and transmitting a report of said quality in a transport channel, wherein said transport channel is combined with (i.e., multiplexed) and transmitted with at least one other transport channel (i.e., this is also well known in various 3G systems as point out by Terry)(figures 5 and 10, paragraphs 0015, 0016, 0035, and 0048-0056).

Consider **claim 11**, Terry clearly show and disclose a method of operating a mobile communication network 600,700, and 1000 (figures 6, 7, and 10 respectively) the method comprising: transmitting a signal to a mobile station in a transport channel (i.e., control signaling) (**abstract, paragraphs 0019-0020, 0043, 0052 –0057, and claim 18f**), said transport channel being combined (i.e., multiplexed) with and transmitted with at least one other transport channel (i.e., this is also well known in various 3G systems as point out by Terry)(figures 5 and 10, paragraphs 0015, 0016, 0035, and 0048-0056, claim 17); and receiving said signal at a

mobile station (i.e., WTRU) **605, 705, and 1005 (figures 6, 7, and 10 respectively)** and using the signaling signaled by said signal for a subsequent transmission of speech and/or data signals by the mobile station (i.e., this is also well known in various 3G systems as point out by Terry **(figures 5 and 10, paragraphs 0015, 0016, 0035, and 0048-0056)**).

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Mousley teaches transmitting a command (paragraphs 0018 0030 and 0042).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mousley. Furthermore, Sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mousley based on the above teachings.

Consider claim 12 and as applied to claim 11 above, Terry teaches a method according to claim 11, wherein only commands are carried in the transport channel carrying the transport format combination command signal (i.e., Terry recognizes unique transport channels to handle signaling requirements and that individual transmissions on transport channels exist. Furthermore, Terry recognizes utilizing dedicated channels for signaling and illustrates a like concept in figure 8) **(paragraphs 0044, 0042, and 0048)**.

Consider claim 13 and as applied to claim 11 above, Terry as modified by Mousley teaches a method according to claim 11, including determining the quality of a received downlink signal at the mobile station (i.e., Wireless Transmit Receive Unit WTRU) **605, 705, and 1005 (figures 6, 7, and 10 respectively)** (i.e., the methods proposed by Terry applies to both

the uplink and downlink) (**paragraphs 0002, 0029, 0035, 0040 and 0042, figure 7**) and transmitting a report of said quality in a transport channel (i.e., the methods proposed by Terry applies to both the uplink and downlink)(**paragraphs 0002, 0029, 0035, 0040 and 0042, figure 7**), wherein said transport channel is combined with and transmitted with at least one other transport channel (i.e., this is also well known in various 3G systems as point out by Terry)(figures 5 and 10, paragraphs 0015, 0016, 0035, and 0048-0056, claim 17).

Consider **claim 14** and as applied to **claim 13** above, Terry teaches a method, including receiving a received signal quality report **420 (figure 4)**(i.e., a channel quality indicator) from said mobile station (i.e., Wireless Transmit Receive Unit WTRU) **405 (figures 4)** and generating the signal in dependence on the received signal quality report (i.e., the uplinks and downlinks are adjusted based on the CRC CQI (**paragraphs 0012, 0034, and 0039**)).

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Mousley teaches transmitting a command (**paragraphs 0018 0030 and 0042**).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mousley, Furthermore, sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mousley based on the above teachings.

Consider **claim 15**, Terry teaches a mobile communication network **600,700, and 1000 (figures 6, 7, and 10 respectively)** including: an infrastructure apparatus **610 (figure 6)** comprising: processing means (i.e., contained w/ in 610 of figure 6) and transmitter means

(contained w/in 610 figure 6 in order to transmit to the WTRU 605 of figure 6), the processing means being configured for generating a signal, processing the signal in a transport channel **(abstract, paragraphs 0019-0020, 0043, 0052 –0057, and claim 18f)**, combining said transport channel with at least one other transport channel to produce a combined signal and supplying the combined signal to the transmitter means for transmission to a mobile station **(WTRU 605 of figure 6)** (i.e., this is also well known in various 3G systems as point out by Terry) **(figures 5 and 10, paragraphs 0015, 0016, 0035, and 0048-0056)**, and a mobile station (i.e., Wireless Transmit Receive Unit WTRU) **605, 705, and 1005 (figures 6, 7, and 10 respectively)** comprising: processing means (i.e., contained w/in the WTRU) and transceiving means (i.e., contained w/in the WTRU), the processing means being configured for using a transport format combination, specified in a transport channel received by the receiving means from said infrastructure apparatus, for subsequent transmission of speech and/or data signals **(WTRU 605 of figure 6) (abstract, paragraphs 0019-0020, 0043, 0052 –0057, and claim 17)**.

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Mouldsley teaches transmitting a command (paragraphs 0018 0030 and 0042).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mouldsley. Furthermore, sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mouldsley based on the above teachings.

Consider **claim 16** and **as applied to claim 15 above**, Terry as teaches a network **600,700, and 1000 (figures 6, 7, and 10 respectively)** according to claim 15, wherein the processing means of the infrastructure apparatus is configured such that only H-ARQ and AM&C control is carried in the transport channel carrying the H-ARQ and AM&C control signal (i.e., Terry recognizes unique transport channels to handle signaling requirements and that individual transmissions on transport channels exist. Furthermore, Terry recognizes utilizing dedicated channels for signaling and illustrates a like concept in figure 8) (**paragraphs 0042,0044,and 0048**).

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Mousley teaches transmitting a command (paragraphs 0018 0030 and 0042).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mousley, Furthermore, sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mousley based on the above teachings.

Consider **claim 17** and **as applied to claim 15 above**, Terry as modified by Mousley teaches a network **600,700, and 1000 (figures 6, 7, and 10 respectively)** according to claim 15, wherein the processing means of the mobile station is configured for determining the quality of a downlink signal received by the transceiving means from the infrastructure apparatus (i.e., the methods proposed by Terry applies to both the uplink and downlink)(**paragraphs 0002, 0029, 0035, 0040 and 0042, figure 7**), supplying an indication of said quality to a transport channel

(i.e., the methods proposed by Terry applies to both the uplink and downlink)(paragraphs 0002, 0029, 0035, 0040 and 0042, figure 7), combining said transport channel with at least one other transport channel to produce a combined signal and causing the transceiving means to transmit said combined signal to the infrastructure apparatus(i.e., this is also well known in various 3G systems as point out by Terry)(figures 5 and 10, paragraphs 0015, 0016, 0035, and 0048-0056, claim 17).

Consider **claim 18** and **as applied to claim 17 above**, Terry clearly show and disclose a network according to claim 17, wherein the infrastructure apparatus includes receiving means for receiving a received signal quality report from the mobile station (contained w/in 610 figure 6 in order to receive CQI from the WTRU 605 of figure 6) and the processing means of the infrastructure apparatus is configured for generating a signal for said mobile station (i.e., Wireless Transmit Receive Unit WTRU) **405 (figures 4)** in dependence on the received signal quality report(i.e., the uplinks and downlinks are adjusted based on the CRC CQI (**paragraphs 0012, 0034, and 0039**)).

However, Terry does not specifically teach transmitting a command.

In the same field of endeavor, Mousley teaches transmitting a command (paragraphs 0018 0030 and 0042).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Terry to include transmitting a command for the purpose of link instruction as taught by Mousley, Furthermore, sending TFC commands over a transport channel in a similar fashion as Terry sends H-ARQ and AM&C control information would have been obvious based on the combination of Terry and Mousley based on the above teachings.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles Shedrick whose telephone number is (571)-272-8621. The examiner can normally be reached on Monday thru Friday 8:00AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kincaid Lester can be reached on (571)-272-7922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Charles Shedrick
AU 2617
July 9, 2006


**LESTER G. KINCAID
SUPERVISORY PRIMARY EXAMINER**